

# Twister




TROKRAKA,  
PESACKA  
BARIJERA.




**CAME**

# Prakticna i funkcionalna.

Twister je trokraka, pesacka barijera, svestrana i otporna, ali pogodna za sve kontrole prolaza, cak i za objekte sa izuzetno velikim brojem korisnika.



## Dimenzije (mm)



# Prednosti postaju resenja.

## **CVRSTA I JEDNOSTAVNA ZA UGRADNJU**

- Kuciste i kraci su napravljeni od AISI 304 nerdjajuceg celika. Omogucavaju brzu i jednostavnu ugradnju, ali i odrzavanje.
- Informacioni displej.
- U potpunosti sa semaforском signalizacijom i proximity citacem kartica (\*samo na PST001).

## **KONTROLNE FUNKCIJE**

- Komande "ULAZ" i "IZLAZ" omogucavaju prolazak korisnika; trokrake barijera se automatski zakljucava u slucaju da nije bilo prolaska u odredjenom periodu ili nakon prolaska korisnika.
- Komanda "ZAKLJUCANO" sprecava neovlasceni prolaz i prekida sve efekte komandi za ulaz i izlaz.
- Komanda "HITNI SLUCAJ" aktivira oslobadjanje trokrake barijere, cak i kada je aktivirana komanda "ZAKLJUCANO".
- Integracija sa sistemima za kontrolu pristupa: Twister se savrseno uklapa sa Came RBM21 i RBM84 sistemima za kontrolu pristupa.
- Tokom nestanka struje, kraci se automatski i mogu se okrenuti u smeru po izboru, kako bi se oslobodio prolaz

Procitajte na sajtu [www.came.com](http://www.came.com) o kompletnom asortimanu Came proizvoda.

Came je vodeci proizvođač na trzistu rezidentalnih i industrijskih automatskih sistema.

Širok spektar rezidentalnih resenja: od automatika za vase kapije i garaznih vrata, do motora za roletne i zavese, pa sve do kucne automatike, protiv-provalnih sistema i video nadzora. Pouzdana tehnologija služi vasoj upotrebi zahvaljujucu resenjima dizajniranim za pokretanje kako velikih industrijskih, tako i automatskih vrata, rampi, pesackih pokretnih barijera i kontrolnih sistema za pristup parking-objektima.





## MODEL

PST001 - PST002 - PST003 - PST004

Stepen zastite(IP)	44
Napajanje (V - 50/60 Hz)	120 - 230 AC
Napajanje motora (V)	24 DC
Potrosnja (mA)	260
Tezina (Kg)	60
Radna temperatura (°C)	-20 ÷ +55

● 230 V AC




GARANZIA QUALITÀ ORIGINALE

Came products  
are entirely designed  
and made in ITALY



Came S.p.A.  
is Quality  
and Environmentally certified by  
**UNI EN ISO 9001**  
**UNI EN ISO 14001**

## DODATNA OPREMA



1. Kraci od prohroma.
2. Pregrada od AISI 304 nerdjajuceg celika.

## KOMPLEMENTARNI ELEMENTI SISTEMA



1. Jednosmerna sigurnosna pregrada.
  2. Prohromska pregrada visine 900mm (AISI 304) sa ispunom od pleksiglasa debljine 6mm.
  3. Prohromska pregrada visine 900mm (AISI 304).
  4. Prohromska sigurnosna barijera visine 1000mm (AISI 304) sa anti-panik polugom.
  5. Pocinkovani celicni stub duzine 980mm.
  6. Prohromski stub visine 980mm (AISI 304), Ø 40
  7. Pleksiglas debljine 6mm, visine 800mm i duzine 750mm.
  8. Prohromski stub visine 900mm sa nosacima (AISI 304), Ø 80 mm .
  9. Spojnice od hromirane plastike ili AISI 304 prohroma.
  10. Prohromska sipka debljine 1mm (AISI 304), Ø 40 mm .
- Dostupan u sledecim dimenzijama: 500, 1,000, 1,500, 2,000 mm .

Official Partner



MILANO 2015  
FEEDING THE PLANET  
ENERGY FOR LIFE

© CAME SPA - KDEP#CEN66A3S114 - JAN\_2014 - EN

Even partial reproduction is prohibited • Came reserves the right to make any changes to this document at any time



Came S.p.A.

Via Martiri della Libertà, 15  
Dossone di Casier  
Treviso - Italy

www.came.com

**Ekskluzivni zastupnik  
sztr FLASH**

sediste: Milovana Glišica 10  
kancelarije: Bulevar Arsenija Carnojevic 64  
tel.: +381 11 212 96 72  
fax.: +381 11 212 96 76  
www.flash-as.co.rs - info@flash-as.co.rs



Came is a company of  
**CAMEGROUP**